

TECHNICAL & RECHARGE COORDINATOR'S UPDATE

BGwT Meeting: May 15TH, 2014

TECHNICAL COORDINATOR DUTIES

WELL MONITORING

I finished the second set of readings for 2014 on Tuesday April 8th. I started a new set of readings on Wednesday April 16th.

MEETINGS

- Attended City-State Groundwater Working Group meeting on 4/29
- Attended an Effective Writing Course for Engineers hosted by GEI and instructed by Trust Technical Advisory Committee member Mike Paster.

RECHARGE COORDINATOR DUTIES

MEETINGS

- Attended the Ellis Neighborhood Association Meeting on 3/25. Updated the Association on the Recharging efforts of the MBTA in the area.
- Filled in for Elliott at the board of Appeals on 4/22
- Spoke with residents and developers about the installation of different types of recharge systems that can be installed
- Continued to write comment letter drafts on past projects and review them with Elliott

DATA LOGGER LOCATIONS

Ellis Neighborhood (7)

- 1 at the corner of Berkley & Chandler St.
- 1 on Saint Charles St.
- 2 on Cazenove St.
- 1 at the corner of Tremont & Appleton St.
- 1 on Columbus Ave., adjacent to 75 Clarendon St.
- 1 in front of 41 Berkeley St.

Blagden Street (3)

- 2 from the Exeter – Dartmouth St.
- 1 in front of the Copley Square Hotel

North End: Commercial Street (3)

- 1 at the corner of Richmond and Commercial St.
- 1 on Commercial St. in front of 145 Commercial St.
- 1 on Atlantic Ave., in front of 103 Atlantic Ave.

Alignment Loggers (3 Uploaded on a Monthly basis)

- 1 Between Turnpike Crash Wall and the Railroad alignment, underneath the Arlington St. Bridge
- 1 Between Turnpike Crash Wall and the Railroad alignment, underneath the Berkeley St. Bridge
- 1 Adjacent to the alignment, at the rear of 95 Berkeley St.

Southwest Corridor: Alley 543, West Canton, & Holyoke Street (6)

- 2 in Alley 543
- 1 in front of 243 West Canton Street
- 1 in front of 38 Holyoke Street
- 1 in front of 24 Holyoke Street
- 1 @ at the corner of Holyoke Street and Columbus Avenue